

NEXT TIME

LABEL IT

**“TRY PULLING THE
BLUE ONE OUT.”**



Labelling Solutions Quick Spec Guide

Second Quarter 2024

brother
at your side



www.brother.co.za

P-touch Corporate Label Printers



FEATURES	PT-P700 / PT-P750W*	PT-D460BT	PT-D610BT	PT-P900W / PT-P950NW^	PT-D800W	PT-P710BT
Display	PC Only	PC/2 line LCD/Design&Print App	PC/3 Line Colour LCD	PC Only	4 line LCD	PC/Design&Print App
Power	AC Adapter / 6 x AA Batteries**/ Optional Li-ion Battery*	AC Adapter / 6 x AA Batteries**	AC Adapter / 6 x AA Batteries**	AC Adapter / Optional Li-ion Battery and Battery Base	AC Adapter / Optional Li-ion Battery and Battery Base	Integrated Li-ion Battery USB, Bluetooth
Interface	USB, WiFi*, NFC*	USB, Bluetooth	USB, Bluetooth	USB, WiFi, Wired^, USB host^	USB, WiFi	20mm / sec
Print Speed	30mm / sec	30mm / sec	30mm / sec	60mm / sec	60mm / sec	180dpi
Print Resolution	180dpi	180dpi	180dpi	360dpi	360dpi	18mm
Maximum Print Height	18mm	15.8mm	18mm	32mm	32mm	6, 9, 12, 18, 24mm
Tape Widths	6, 9, 12, 18, 24mm	6, 9, 12, 18mm	6, 9, 12, 18, 24mm	6, 9, 12, 18, 24, 36mm	6, 9, 12, 18, 24, 36mm	TZe
Tape Type	TZe	TZe	TZe	TZe / HSe	TZe / HSe	Auto
Cutter Type	Auto Full, Half*	Manual	Auto	Auto Full and Half	Auto Full and Half	-
Keyboard Type	-	QWERTY	QWERTY	-	QWERTY	25mm - 500mm
Label Length	25mm - 1 000mm	30mm - 300mm	30mm - 300mm	25mm - 1 000mm	5mm - 1 000mm	P-Touch Design and Print App
LABEL DESIGN USING P-TOUCH EDITOR (PTE) / EMBEDDED						
Fonts - PTE / Embedded	PTE	PTE / 16	PTE / 17	PTE	PTE / 14	PTE / App
Font Styles	PTE	PTE / 15	PTE / 17	PTE	PTE / 12	PTE / App
Font Size	PTE	PTE / 7	PTE / 8	PTE	PTE / 13	PTE / App
Symbols	PTE	PTE / 800	PTE / 900	PTE	PTE / 465	PTE / App
Frames	PTE	PTE / 140	PTE / 180	PTE	PTE / 99	PTE / App
Templates	PTE	PTE / 40	PTE / 170	PTE	PTE / 35	PTE
Label Memory	-	70	99	-	99	-
Image Support (PTE)	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico
Multiple Line Printing	PTE	PTE / Max 5	PTE / Max 7	PTE	PTE / Max 17	PTE
Vertical Text Printing	PTE	PTE / Yes	PTE / Yes	PTE	PTE / Yes	PTE
Mirror Printing	PTE	PTE	PTE	PTE	PTE / Yes	PTE
Block Layouts	-	5	5	-	32	30
Copy Printing	PTE	PTE / 99	PTE / 99	PTE	PTE / 99	PTE
Sequential Numbering	PTE	PTE / 1 - 9	PTE / 1 - 9	PTE	PTE / 1 - 9	PTE
Barcodes	PTE	PTE / 9	PTE / 9	PTE	PTE / 9	PTE
Database Connection Support	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL
Labelling Functions	-	-	-	-	Cable wrap and flag, faceplate, patch panel	-
Language	PTE	PTE / 20 / App	PTE / 20	PTE	20	PTE / App
GENERAL						
Carton Contents	USB, AC Adapter, 24mm Black on white tape (4m)	USB (Micro), AC Adapter, 18mm Black on white tape (4m)	USB (Micro), AC Adapter, 24mm Black on White tape (4m)	USB, AC Adapter 36mm Black on white tape (8m)	USB, AC Adapter 36mm Black on white tape (8m)	USB, 24mm Black on white tape (4m)

*PT-P750W Only **Batteries NOT Included ^PT-P950NW Only

P-touch Home and Small Office Label Printers



FEATURES	PT-M95AD	PT-H110 / PT-H110B	PT-D210	PT-P300BT
Display	1 line LCD	1 line LCD	1 line LCD	Design&Print App
Power	AC Adapter / 4 x AAA Batteries**	Optional AC Adapter / 6 x AAA Batteries**	Optional AC Adapter / 6 x AAA Batteries**	Optional AC Adapter / 6 x AAA Batteries**
Interface	-	-	-	Bluetooth
Print Speed	7,5mm / sec	20mm / sec	20mm / sec	20mm / sec
Print Resolution	203dpi	180dpi	180dpi	180dpi
Maximum Print Height	8mm	9mm	9mm	9mm
Tape Widths	9, 12mm	6, 9, 12mm	6, 9, 12mm	6, 9, 12mm
Tape Type	M-Tapes	TZe	TZe	TZe
Cutter Type	Manual	Manual	Manual	Manual
Keyboard Type	QWERTY	QWERTY	QWERTY	-
Label Length	30 - 300mm	30 - 300mm	30 - 300mm	30 - 300mm
LABEL DESIGN EMBEDDED				P-Touch Design and Print App
Fonts	1	3	14	App
Font Styles	8	10	10	App
Font Size	2	3	3	App
Symbols	210	253	617	App
Frames	10	16	97	App
Deco Mode	6	17	12	-
Auto Designs	5	10	-	-
Label Memory	3	15	30	30
Horizontal Alignment	Left	Left, Centre	Left, Centre, Right, Justified	Left, Centre, Right, Justified
Multiple Line Printing	Max 2	Max 2	Max 2	Max 2
Vertical Text Printing	Yes	Yes	Yes	Yes
Mirror Printing	No	Yes	Yes	No
Copy Printing	9	9	9	99
Sequential Numbering	No	1 - 9	1 - 9	No
Cable Labelling Function	No	Yes	No	Yes
Print Preview	Yes	Yes	Yes	Yes
Language	11	20	20	App
GENERAL				
Carton Contents	12mm Black on white tape (4m) AC Adapter	12mm Black on white tape (4m)	12mm Black on white tape (4m)	12mm Black on white tape (4m)

Home, School, Life. Sorted

Choose from a range of creative tapes and ribbons up to 12mm wide.



Satin Ribbons



Range of colours



School Belongings



FREE 3-YEAR CARRY IN WARRANTY ON ALL LABEL PRINTERS

When you purchase a Brother label printer and genuine tapes or labels, we'll support you every step of the way with our FREE 3-year warranty commitment. YOU DON'T NEED TO REGISTER YOUR PRODUCT, our warranty is automatic when you purchase your Brother label printer. With Brother, you can have peace of mind that we are always "At Your Side".

P-touch Industrial Label Printers



FEATURES	PT-E110VP	PT-E300VP	PT-E550WVP	PT-E800T
Display	1 line LCD	3 line Backlit LCD	PC / 3 line Backlit LCD	PC Only
Power	AC Adapter / 6 x AAA Batteries**	AC Adapter / Li-ion Battery / 6 x AA Batteries**	AC Adapter / Li-ion Battery / 6 x AA Batteries**	AC Adapter / Optional Li-ion Battery and Battery Base
Interface	-	-	USB, WiFi	USB
Print Speed	20mm / sec	20mm / sec	30mm / sec	60mm / sec
Print Resolution	180dpi	180dpi	180dpi	360dpi
Maximum Print Height	9mm	15.8mm	18mm	32mm
Tape Widths	6, 9, 12mm	6, 9, 12, 18mm	6, 9, 12, 18, 24mm	6, 9, 12, 18, 24, 36mm
Tape Type	TZe	TZe / HSe	TZe / HSe	TZe / HSe
Cutter Type	Manual	Manual	Auto	Auto full and half
Keyboard Type	QWERTY	QWERTY	QWERTY	-
Label Length	30mm - 300mm	25mm - 300mm	25mm - 1 000mm	25mm - 1 000mm

LABEL DESIGN USING P-TOUCH EDITOR (PTE) / EMBEDDED

Fonts - PTE / Embedded	1	7	PTE / 14	PTE / 14
Font Styles	9	10	PTE / 10	PTE
Font Size	3	7	PTE / 14	PTE
Symbols	200	384	PTE / 384	PTE
Frames	1	7	PTE / 8	PTE
Label Memory	9	50	PTE / 99	PTE
Image Support (PTE)	-	-	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico	jpeg, bmp, tif, png, gif, dib, wmf, emf, ico
Multiple Line Printing	Max 2	Max 5	PTE / Max 7	PTE
Vertical Text Printing	Yes	Yes	PTE / Yes	PTE
Copy Printing	1 - 50	1 - 9	PTE / 1 - 99	PTE
Sequential Numbering	1 - 50	Yes	PTE / 1 - 99	PTE
Barcodes	-	9	PTE / 9	PTE
Database Connection Support	-	-	csv, txt, mdb, xls, xlsx, xlsx, xls, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xls, accdb, msde/SQL
Labelling Functions	Cable wrap, cable flag, faceplate	Cable wrap, cable flag, faceplate, patch panel, punch block	Cable wrap, cable flag, faceplate, patch panel, punch block	PTE cable label tool Tube printing up to 6.5mm
Language	20	20	20	PTE

GENERAL

Carton Contents	AC Adapter, 9mm Black on white Flexible-ID tape (8m), Carry Case	AC Adapter and Li-ion Battery, 9mm Black on white strong adhesive tape (8m), Carry Case and Wrist Strap	AC Adapter and Li-ion Battery, 12mm Black on white flexible tape (8m), USB, Carry Case and Wrist Strap	AC Adapter, 100m Black ink ribbon (TR-100BK), 36mm Black on White (8m), USB
------------------------	--	---	--	---



Laminated



Temperature Resistant



Water Resistant



Fade Resistant



Abrasion Resistant



Chemical Resistant




Easy Peel



Strong Adhesion

Professional, compliant electrical label printing

Produce clear, durable labels instantly on-site



Electrical Applications



Data Communication



Security Applications

Business & Shipping Label Printers



FEATURES	QL-800	QL-810W / QL-820NWB	TD-4420DN	TD-4550DNWB
Display	PC Only	PC / LCD^	PC Only	PC / 3 line LCD
Power	Internal Power Supply	AC Adapter / Opt. Li-ion Battery Unit	AC Adapter	AC Adapter
Interface	USB	USB, USB Host^, Bluetooth^, Wired^, WiFi	USB, Serial, Wired	USB, Serial, Wired, Wireless, Bluetooth, Airprint, MFi, USB Host
Print Speed	148 mm/sec 93 std labels/min	176mm/sec; 110 std labels/min	203mm/sec; 125 std labels/min	152mm/sec; 95 std labels/min
Print Resolution	300dpi	300dpi	203dpi	300dpi
Maximum Print Height/Width*	58.93mm	58.93mm	104.1mm*	108.4mm*
Label Width	Up to 62mm	Up to 62mm	Up to 127mm	Up to 127mm
Label Type	DK rolls and die cut labels Black / Red Print on DK-22251	DK rolls and die cut labels Black / Red Print on DK-22251	Wristbands, Continuous, Die cut, Fan fold, Perforated, Tag	Wristbands, Continuous, Die cut, Fan fold, Perforated, Tag
Cutter Type	Auto	Auto	Auto	Auto
Label Length	12.7mm - 1 000mm	12.7mm - 1 000mm	6,4mm - 3,000mm	6,4mm - 3,000mm

LABEL DESIGN USING P-TOUCH EDITOR (PTE) / EMBEDDED

Fonts - PTE	PTE	PTE / 8	PTE / 6	PTE / 6
Font Styles	PTE	PTE	PTE / 7	PTE / 7
Font Size	PTE	PTE / 22	PTE / 20	PTE / 20
Symbols	PTE	PTE	PTE	PTE
Frames	PTE	PTE	PTE	PTE
Templates	PTE	PTE	PTE	PTE
Image Support (PTE)	bmp, jpg, png, tif, gif, dib, wmf, emf, ico	bmp, jpg, png, tif, gif, dib, wmf, emf, ico	bmp, jpg, png, tif, gif, dib, wmf, emf, ico	bmp, jpg, png, tif, gif, dib, wmf, emf, ico
Multiple Line Printing	PTE	PTE	PTE	PTE
Vertical Text Printing	PTE	PTE	PTE	PTE
Mirror Printing	PTE	PTE	PTE	PTE
Copy Printing	PTE	PTE	PTE	PTE
Sequential Numbering	PTE	PTE	PTE	PTE
Barcodes	PTE	PTE / 25	PTE / 25	PTE / 25
Database Connection Support	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL	csv, txt, mdb, xls, xlsx, xslm, accdb, msde/SQL
Language	PTE	PTE	PTE	PTE

GENERAL

Carton Contents	USB, Power Cable, 2 Colour print continuous roll (62mm x 5m), 29mm x 90mm Standard Labels (x100)	USB Power Cable, AC Adapter, 2 Colour print continuous roll (62mm x 5m), 29mm x 90mm Standard Labels (x100)	USB, AC Adapter, 102mm Continuous Roll (2m)	USB, AC Adapter, 102mm Continuous Roll (2m)
------------------------	---	--	--	--

Emulation TD4 Series Only: P-touch Template / RASTER / ESC P / ZPL11 / CPCL

See the difference

Print labels in Black and Red with the QL-800 Series Label Printers



*Printing in Black and Red requires DK-22251

^QL-820NWB Only

Brother Tapes and Label Range

NEXT TIME

LABEL IT

TZe Laminated Tapes

Brother TZe standard laminated tapes offer the widest variety of color, styles, and sizes for your everyday home, home office, corporate and industrial needs.



DESCRIPTION	6mm	9mm	12mm	18mm	24mm	36mm
Standard Tape - 8 metres						
Black on Clear	TZe-111	TZe-121	TZe-131	TZe-141	TZe-151	TZe-161
Red on Clear			TZe-132			
Blue on Clear			TZe-133			
White on Clear			TZe-135			
Black on White	TZe-211	TZe-221	TZe-231	TZe-241	TZe-251	TZe-261
Red on White		TZe-222	TZe-232	TZe-242	TZe-252	TZe-262
Blue on White		TZe-223	TZe-233	TZe-243	TZe-253	TZe-263
Gold on Black			TZe-334	TZe-344	TZe-354	
White on Black	TZe-315	TZe-325	TZe-335	TZe-345	TZe-355	
Black on Red		TZe-421	TZe-431	TZe-441	TZe-451	TZe-461
White on Red			TZe-435			
Black on Blue		TZe-521	TZe-531	TZe-541	TZe-551	TZe-561
White on Blue			TZe-535		TZe-555	
Black on Yellow	TZe-611	TZe-621	TZe-631	TZe-641	TZe-651	TZe-661
Black on Green		TZe-721	TZe-731	TZe-741	TZe-751	
Fluorescent Tape - 5 metres						
Black on Orange			TZe-B31		TZe-B51	
Black on Yellow			TZe-C31		TZe-C51	
Matt Tape - 8 metres (**5 metres)						
White on Light Gray			TZe-MQL35**		TZe-MQL55**	
White on Berry Pink			TZe-MQP35**			
White on Lime Green			TZe-MQG35**			
Gold on Satin Silver			TZe-MQ934**			
White on Satin Gold			TZe-MQ835**			
Black on Matt Silver			TZe-M931	TZe-M941	TZe-M951	TZe-M961
Black on Matt Clear					TZe-M51	
White on Matt Clear						TZe-M65
Black on Matt White						TZe-M261
White on Matt Black						TZe-M365
Flexible ID Tape - 8 metres						
Black on White		TZe-FX221	TZe-FX231		TZe-FX251	
Black on Yellow		TZe-FX621	TZe-FX631			
Strong Adhesive Tape - 8 metres						
Black on White		TZe-S221	TZe-S231	TZe-S241	TZe-S251	TZe-S261
Black on Yellow			TZe-S631	TZe-S641	TZe-S651	TZe-S661
Fabric Tape - 3 metres						
Blue on White			TZe-FA3			
Blue on Pink			TZe-FAE3			
Blue on Blue			TZe-FA53			
Blue on Yellow			TZe-FA63			
Acid Free Tape - 8 metres						
Black on Clear			TZe-AF131			
Stencil Tape - 3 metres						
Black on Clear					STE-151	STE-161
Security Tape - 8 metres						
Black on White				TZe-SE4		
Self Laminating Tape - 8 metres						
Black on White					TZe-SL251	TZe-SL261
Black on Yellow					TZe-SL651	TZe-SL661



Scan the QR code to find out more about our durable labels and tapes.

MARK OF A SMART PROFESSIONAL

TZe Decorative Tapes (4m)



DESCRIPTION	12mm	24mm
Ribbon Tape - 4 metres		
Gold on Navy Blue Ribbon	TZe-RN34	TZe-RN54
Gold on Wine Red Ribbon	TZe-RW34	TZe-RW54
Gold on White Ribbon	TZe-R234	-
Gold on Pink Ribbon	TZe-RE34	-
Black on White Ribbon	TZe-R231	TZe-R251
Gold on Black Ribbon	-	TZe-R354
Premium Tape - 4 metres		
Black on Premium Gold	TZe-PR831	TZe-PR851
White on Premium Silver	TZe-PR935	TZe-PR955
Gold on Premium White	TZe-PR234	TZe-PR254

DESCRIPTION	12mm
Pattern Tape - 4 metres	
Black on Gold Geometric	TZe-MPGG31
Black on Pink Hearts	TZe-MPPH31
Black on Red Gingham	TZe-MPRG31
Pastel Tape - 4 metres	
Black on Pastel Pink	TZe-MQE31
Black on Pastel Blue	TZe-MQ531
Black on Pastel Purple	TZe-MQF31



Give your labelling projects that special colour flair with Ribbon and Decorative Tapes! Choose from Patterned, Pastel, Premium or Ribbon tapes to create stylish labels.



HSe Heat-shrink Tube (1.5m)



DESCRIPTION	5,2mm	9mm	11,2mm	21mm	31mm
Cable Diameter	0,8 - 3,1mm	1,6 - 5,4mm	2,1 - 7mm	4,2 - 13,5mm	6,3 - 20mm
Black on White	HSe-211E	HSe-221E	HSe-231E	HSe-251E	HSe-261E
Black on Yellow	HSe-611E	HSe-621E	HSe-631E	HSe-651E	HSe-661E

Brother HSe tube is a printable heat shrink tube designed for models PT-E300VP, PT-E550WVP, PT-D800W, PT-P900W, PT-P950NW and PT-E800T label printers to mark cables, fibre and wires.

M-tape Non-laminated (8m)



DESCRIPTION	9mm	12mm
Black on White, non-laminated	M-K221	M-K231
Black on Yellow, non-laminated	M-K621	M-K631
Blue on White, non-laminated	M-K223	M-K233
Red on White, non-laminated	M-K222	M-K232
Black on Blue, non-laminated	M-K521	M-K531

Brother M-Tape is non-laminated and should be used for indoor, temporary use. They are available in a variety of sizes and colours. They are compatible with the Brother PT-M95 labelling machine.



DK Tapes & Labels

Brother DK die-cut labels are convenient, pre-sized labels that are pre-cut into sizes commonly used in mailing and administration.



DESCRIPTION	CODE	SIZE	LABELS/ROLL	ROLL LENGTH
Standard address label	DK-11201	29mm x 90mm	400	-
Shipping label	DK-11202	62mm x 100mm	300	-
File folder label	DK-11203	17mm x 87mm	300	-
Multi-purpose label	DK-11204	17mm x 54mm	400	-
Large address label	DK-11208	38mm x 90mm	400	-
Small address label	DK-11209	29mm x 62mm	800	-
12mm Round label	DK-11219	12mm	1200	-
24mm Round label	DK-11218	24mm	1000	-
23mm Square label	DK-11221	23mm x 23mm	1000	-
Large multi-purpose label	DK-11240	102mm x 51mm	600	-
Extra large shipping label	DK-11247	103mm x 164mm	180	-
Continuous paper roll	DK-22214	12mm wide	-	30.48m
Continuous paper roll	DK-22210	29mm wide	-	30.48m
Continuous paper roll	DK-22205	62mm wide	-	30.48m
Continuous paper roll	DK-22246	103mm wide	-	30.48m
Continuous paper roll (Black/Red for QL-800 & QL810W only)	DK-22251	62mm wide	-	15.24m
Continuous removable paper	DK-44205	62mm wide	-	30.48m
Continuous yellow removable paper	DK-44605	62mm wide	-	30.48m
Continuous clear film	DK-22113	62mm wide	-	15.24m
Continuous yellow film	DK-22606	62mm wide	-	15.24m
Continuous white film	DK-22211	29mm wide	-	15.24m
Continuous white film	DK-22212	62mm wide	-	15.24m
Non-adhesive name badge paper	DK-N55224	54mm wide	-	30.48m



Customise your labels with P-Touch Editor

P-Touch Editor software is included with P-Touch PC-connectable models.

Brother provides a complete label software package that includes label designing, editing and drawing tools, auto formats, clip art and symbols, barcode symbologies and more to help you produce virtually any label you can imagine. Use the convenient, pre-designed templates or create and store your own custom templates.

Check the Brother Support website or visit www.brother.co.za to see if your label printer model supports our Design and Print apps.

Download our free apps on the App Store and Google Play.



<https://support.brother.com>
www.brother.co.za



Brother SupportCenter App

The mobile app that puts the latest support information in the palm of your hand.

Brother SupportCenter is a mobile app providing the latest support information for your Brother product. The easy-to-use app gives you access to set up information, product manuals, Frequently Asked Questions and troubleshooting tips, as well as checking your device status.



Design&Print 2 App for iOS or Android Devices

Design and print labels from your smartphone or tablet using Bluetooth technology.

The P-touch Design&Print 2 App enables you to design and print labels from your smartphone or tablet to the Brother P-touch PT-P300BT or PT-P710BT label printer using Bluetooth wireless technology. Easily personalise your labels using pre-designed templates or design and save your own labels using a wide variety of fonts, frames and symbols.



iPrint&Label App for iOS or Android Devices

Design and print labels from your smartphone or tablet using your Wireless network.

Brother iPrint&Label is convenient and easy to use. Just download the app and it will automatically search for supported devices on your wireless network. Quickly access and print pre-designed labels or create custom labels with graphics or photos.

Use with: PT-D800W, PT-E550W, PT-P750W, PT-P900W, PT-P950NW, PT-P710BT, QL-810W, QL-820NWB, PT-D610BT and PT-D460BT.

brother

at your side

All specifications correct at time of publication and are subject to change without notice. Brother and its logo are trademarks of Brother Industries LTD., Japan. All registered trademarks referenced herein are the property of their respective companies.